(FILE 'HOME' ENTERED AT 08:41:45 ON 22 SEP 2003)

FILE 'MEDLINE, BIOSIS, CAPLUS, EMBASE, CANCERLIT' ENTERED AT 08:41:54 ON 22 SEP 2003

L1 3667 S ACTIN(3A)PROMOTER
L2 369 S L1 AND SMOOTH MUSCLE
L3 25 S L2 AND INTRON
L4 10 DUP REM L3 (15 DUPLICATES REMOVED)

FILE 'REGISTRY' ENTERED AT 09:22:52 ON 22 SEP 2003

L1 4 S TAATCATCCAGTGGAACCAGACGTTGTCTGTAGTAATCTGAATGACTCAC/SQSN

L2 0 S TAATTACCCGCTATAATAAGACACCATCTGCAGGGATTTGGGCTGGGTTCA/SQSN

L3 3 S TAATTACCCGGTATAATAAGACACCATCTGCAGGGATTTG/SQSN

FILE 'REGISTRY' ENTERED AT 09:45:40 ON 22 SEP 2003

L4 3 S L3

FILE 'CAPLUS' ENTERED AT 09:47:41 ON 22 SEP 2003

L5 1 S 140794-63-4/RN

L6 1 S 267396-05-4/RN

L7 1 S 267638-56-2/RN

STIC-ILL

QH442.G43

From: Sullivan, Daniel
Sent: Monday, September 22, 2003 11:15 AM
To: STIC-ILL
Subject: Request for 09807757

Please send the following:

1: Kawada N, Moriyama T, Ando A, Koyama T, Hori M, Miwa T, Imai E.
Role of intron 1 in smooth muscle alpha-actin transcriptional regulation in activated mesangial cells in vivo.
Kidney Int. 1999 Jun;55(6):2338-48.
PMID: 10354281 [PubMed - indexed for MEDLINE]

2: Lund PK.
The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel.
Gut. 1998 Mar;42(3):320-2. Review.
PMID: 9577334 [PubMed - indexed for MEDLINE]

3: Kemp PR, Osbourn JK, Grainger DJ, Metcalfe JC.
Cloning and analysis of the promoter region of the rat SM22 alpha gene.
Biochem J. 1995 Sep 15;310 (Pt 3):1037-43.
PMID: 7575400 [PubMed - indexed for MEDLINE]

4: Nakano Y, Nishihara T, Sasayama S, Miwa T, Kamada S, Kakunaga T.
Transcriptional regulatory elements in the 5' upstream and first intron regions of the human smooth muscle (aortic type) alpha-actin-encoding gene.
Gene. 1991 Mar 15;99(2):285-9.
PMID: 2022339 [PubMed - indexed for MEDLINE]

5: Osbourn JK, Weissberg PL, Shanahan CM.
A regulatory element downstream of the rat SM22 alpha gene transcription start point enhances reporter gene expression in vascular smooth muscle cells.
Gene. 1995 Mar 10;154(2):249-53.
PMID: 7890172 [PubMed - indexed for MEDLINE]

6: Solway J, Seltzer J, Samaha FF, Kim S, Alger LE, Niu Q, Morrisey EE, Ip HS, Parmacek MS.
Structure and expression of a smooth muscle cell-specific gene, SM22 alpha.
J Biol Chem. 1995 Jun 2;270(22):13460-9.
PMID: 7768949 [PubMed - indexed for MEDLINE]

7: Carroll SL, Bergsma DJ, Schwartz RJ.
A 29-nucleotide DNA segment containing an evolutionarily conserved motif is required in cis for cell-type-restricted repression of the chicken alpha-smooth muscle actin gene core promoter.
Mol Cell Biol. 1988 Jan;8(1):241-50.
PMID: 3336359 [PubMed - indexed for MEDLINE]

8: Ueyama H, Hamada H, Battula N, Kakunaga T.
Structure of a human smooth muscle actin gene (aortic type) with a unique intron site.
Mol Cell Biol. 1984 Jun;4(6):1073-8.
PMID: 6330528 [PubMed - indexed for MEDLINE]

Thank you

Daniel M. Sullivan
Examiner AU 1636
Room: 12D12
Mail Box: 11E12
Tel: 703-305-4448

STIC-ILL

From: Sullivan, Daniel
Sent: Monday, September 22, 2003 11:15 AM
To: STIC-ILL
Subject: Request for 09807757

Please send the following:

1: Kawada N, Moriyama T, Ando A, Koyama T, Hori M, Miwa T, Imai E.
Role of intron 1 in smooth muscle alpha-actin transcriptional regulation in activated mesangial cells in vivo.
Kidney Int. 1999 Jun;55(6):2338-48.
PMID: 10354281 [PubMed - indexed for MEDLINE]

2: Lund PK.
The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel.
Gut. 1998 Mar;42(3):320-2. Review.
PMID: 9577334 [PubMed - indexed for MEDLINE]

3: Kemp PR, Osbourn JK, Grainger DJ, Metcalfe JC.
Cloning and analysis of the promoter region of the rat SM22 alpha gene.
Biochem J. 1995 Sep 15;310 (Pt 3):1037-43.
PMID: 7575400 [PubMed - indexed for MEDLINE]

4: Nakano Y, Nishihara T, Sasayama S, Miwa T, Kamada S, Kakunaga T.
Transcriptional regulatory elements in the 5' upstream and first intron regions of the human smooth muscle (aortic type) alpha-actin-encoding gene.
Gene. 1991 Mar 15;99(2):285-9.
PMID: 2022339 [PubMed - indexed for MEDLINE]

5: Osbourn JK, Weissberg PL, Shanahan CM.
A regulatory element downstream of the rat SM22 alpha gene transcription start point enhances reporter gene expression in vascular smooth muscle cells.
Gene. 1995 Mar 10;154(2):249-53.
PMID: 7890172 [PubMed - indexed for MEDLINE]

6: Solway J, Seltzer J, Samaha FF, Kim S, Alger LE, Niu Q, Morrisey EE, Ip HS, Parmacek MS.
Structure and expression of a smooth muscle cell-specific gene, SM22 alpha.
J Biol Chem. 1995 Jun 2;270(22):13460-9.
PMID: 7768949 [PubMed - indexed for MEDLINE]

7: Carroll SL, Bergsma DJ, Schwartz RJ.
A 29-nucleotide DNA segment containing an evolutionarily conserved motif is required in cis for cell-type-restricted repression of the chicken alpha-smooth muscle actin gene core promoter.
Mol Cell Biol. 1988 Jan;8(1):241-50.
PMID: 3336359 [PubMed - indexed for MEDLINE]

8: Ueyama H, Hamada H, Battula N, Kakunaga T.
Structure of a human smooth muscle actin gene (aortic type) with a unique intron site.
Mol Cell Biol. 1984 Jun;4(6):1073-8.
PMID: 6330528 [PubMed - indexed for MEDLINE]

Thank you

Daniel M. Sullivan
Examiner AU 1636
Room: 12D12
Mail Box: 11E12
Tel: 703-305-4448

STIC-ILL NPL

From: Sullivan, Daniel
Sent: Monday, September 22, 2003 11:15 AM
To: STIC-ILL
Subject: Request for 09807757

Please send the following:

1: Kawada N, Moriyama T, Ando A, Koyama T, Hori M, Miwa T, Imai E.
Role of intron 1 in smooth muscle alpha-actin transcriptional regulation in activated mesangial cells in vivo.
Kidney Int. 1999 Jun;55(6):2338-48.
PMID: 10354281 [PubMed - indexed for MEDLINE]

2: Lund PK.
The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel.
Gut. 1998 Mar;42(3):320-2. Review.
PMID: 9577334 [PubMed - indexed for MEDLINE]

3: Kemp PR, Osbourn JK, Grainger DJ, Metcalfe JC.
Cloning and analysis of the promoter region of the rat SM22 alpha gene.
Biochem J. 1995 Sep 15;310 (Pt 3):1037-43.
PMID: 7575400 [PubMed - indexed for MEDLINE]

4: Nakano Y, Nishihara T, Sasayama S, Miwa T, Kamada S, Kakunaga T.
Transcriptional regulatory elements in the 5' upstream and first intron regions of the human smooth muscle (aortic type) alpha-actin-encoding gene.
Gene. 1991 Mar 15;99(2):285-9.
PMID: 2022339 [PubMed - indexed for MEDLINE]

5: Osbourn JK, Weissberg PL, Shanahan CM.
A regulatory element downstream of the rat SM22 alpha gene transcription start point enhances reporter gene expression in vascular smooth muscle cells.
Gene. 1995 Mar 10;154(2):249-53.
PMID: 7890172 [PubMed - indexed for MEDLINE]

6: Solway J, Seltzer J, Samaha FF, Kim S, Alger LE, Niu Q, Morrisey EE, Ip HS, Parmacek MS.
Structure and expression of a smooth muscle cell-specific gene, SM22 alpha.
J Biol Chem. 1995 Jun 2;270(22):13460-9.
PMID: 7768949 [PubMed - indexed for MEDLINE]

7: Carroll SL, Bergsma DJ, Schwartz RJ.
A 29-nucleotide DNA segment containing an evolutionarily conserved motif is required in cis for cell-type-restricted repression of the chicken alpha-smooth muscle actin gene core promoter.
Mol Cell Biol. 1988 Jan;8(1):241-50.
PMID: 3336359 [PubMed - indexed for MEDLINE]

8: Ueyama H, Hamada H, Battula N, Kakunaga T.
Structure of a human smooth muscle actin gene (aortic type) with a unique intron site.
Mol Cell Biol. 1984 Jun;4(6):1073-8.
PMID: 6330528 [PubMed - indexed for MEDLINE]

Thank you

Daniel M. Sullivan
Examiner AU 1636
Room: 12D12
Mail Box: 11E12
Tel: 703-305-4448

STIC-ILL QH506.M6

From: Sullivan, Daniel
Sent: Monday, September 22, 2003 11:15 AM
To: STIC-ILL
Subject: Request for 09807757

Please send the following:

1: Kawada N, Moriyama T, Ando A, Koyama T, Hori M, Miwa T, Imai E.
Role of intron 1 in smooth muscle alpha-actin transcriptional regulation in activated mesangial cells in vivo.
Kidney Int. 1999 Jun;55(6):2338-48.
PMID: 10354281 [PubMed - indexed for MEDLINE]

2: Lund PK.
The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel.
Gut. 1998 Mar;42(3):320-2. Review.
PMID: 9577334 [PubMed - indexed for MEDLINE]

3: Kemp PR, Osbourn JK, Grainger DJ, Metcalfe JC.
Cloning and analysis of the promoter region of the rat SM22 alpha gene.
Biochem J. 1995 Sep 15;310 (Pt 3):1037-43.
PMID: 7575400 [PubMed - indexed for MEDLINE]

4: Nakano Y, Nishihara T, Sasayama S, Miwa T, Kamada S, Kakunaga T.
Transcriptional regulatory elements in the 5' upstream and first intron regions of the human smooth muscle (aortic type) alpha-actin-encoding gene.
Gene. 1991 Mar 15;99(2):285-9.
PMID: 2022339 [PubMed - indexed for MEDLINE]

5: Osbourn JK, Weissberg PL, Shanahan CM.
A regulatory element downstream of the rat SM22 alpha gene transcription start point enhances reporter gene expression in vascular smooth muscle cells.
Gene. 1995 Mar 10;154(2):249-53.
PMID: 7890172 [PubMed - indexed for MEDLINE]

6: Solway J, Seltzer J, Samaha FF, Kim S, Alger LE, Niu Q, Morrisey EE, Ip HS, Parmacek MS.
Structure and expression of a smooth muscle cell-specific gene, SM22 alpha.
J Biol Chem. 1995 Jun 2;270(22):13460-9.
PMID: 7768949 [PubMed - indexed for MEDLINE]

7: Carroll SL, Bergsma DJ, Schwartz RJ.
A 29-nucleotide DNA segment containing an evolutionarily conserved motif is required in cis for cell-type-restricted repression of the chicken alpha-smooth muscle actin gene core promoter.
Mol Cell Biol. 1988 Jan;8(1):241-50.
PMID: 3336359 [PubMed - indexed for MEDLINE]

8: Ueyama H, Hamada H, Battula N, Kakunaga T.
Structure of a human smooth muscle actin gene (aortic type) with a unique intron site.
Mol Cell Biol. 1984 Jun;4(6):1073-8.
PMID: 6330528 [PubMed - indexed for MEDLINE]

Thank you

Daniel M. Sullivan
Examiner AU 1636
Room: 12D12
Mail Box: 11E12
Tel: 703-305-4448

STIC-ILL

DH 442.643 Adams

From: Sullivan, Daniel
Sent: Monday, September 22, 2003 11:15 AM
To: STIC-ILL
Subject: Request for 09807757

Please send the following:

1: Kawada N, Moriyama T, Ando A, Koyama T, Hori M, Miwa T, Imai E.
Role of intron 1 in smooth muscle alpha-actin transcriptional regulation in activated mesangial cells in vivo.
Kidney Int. 1999 Jun;55(6):2338-48.
PMID: 10354281 [PubMed - indexed for MEDLINE]

2: Lund PK.
The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel.
Gut. 1998 Mar;42(3):320-2. Review.
PMID: 9577334 [PubMed - indexed for MEDLINE]

3: Kemp PR, Osbourn JK, Grainger DJ, Metcalfe JC.
Cloning and analysis of the promoter region of the rat SM22 alpha gene.
Biochem J. 1995 Sep 15;310 (Pt 3):1037-43.
PMID: 7575400 [PubMed - indexed for MEDLINE]

4: Nakano Y, Nishihara T, Sasayama S, Miwa T, Kamada S, Kakunaga T.
Transcriptional regulatory elements in the 5' upstream and first intron regions of the human smooth muscle (aortic type) alpha-actin-encoding gene.
Gene. 1991 Mar 15;99(2):285-9.
PMID: 2022339 [PubMed - indexed for MEDLINE]

5: Osbourn JK, Weissberg PL, Shanahan CM.
A regulatory element downstream of the rat SM22 alpha gene transcription start point enhances reporter gene expression in vascular smooth muscle cells.
Gene. 1995 Mar 10;154(2):249-53.
PMID: 7890172 [PubMed - indexed for MEDLINE]

6: Solway J, Seltzer J, Samaha FF, Kim S, Alger LE, Niu Q, Morrisey EE, Ip HS, Parmacek MS.
Structure and expression of a smooth muscle cell-specific gene, SM22 alpha.
J Biol Chem. 1995 Jun 2;270(22):13460-9.
PMID: 7768949 [PubMed - indexed for MEDLINE]

7: Carroll SL, Bergsma DJ, Schwartz RJ.
A 29-nucleotide DNA segment containing an evolutionarily conserved motif is required in cis for cell-type-restricted repression of the chicken alpha-smooth muscle actin gene core promoter.
Mol Cell Biol. 1988 Jan;8(1):241-50.
PMID: 3336359 [PubMed - indexed for MEDLINE]

8: Ueyama H, Hamada H, Battula N, Kakunaga T.
Structure of a human smooth muscle actin gene (aortic type) with a unique intron site.
Mol Cell Biol. 1984 Jun;4(6):1073-8.
PMID: 6330528 [PubMed - indexed for MEDLINE]

Thank you

Daniel M. Sullivan
Examiner AU 1636
Room: 12D12
Mail Box: 11E12
Tel: 703-305-4448

STIC-ILL QH506.M6

From: Sullivan, Daniel
Sent: Monday, September 22, 2003 11:15 AM
To: STIC-ILL
Subject: Request for 09807757

Please send the following:

1: Kawada N, Moriyama T, Ando A, Koyama T, Hori M, Miwa T, Imai E.
Role of intron 1 in smooth muscle alpha-actin transcriptional regulation in activated mesangial cells in vivo.
Kidney Int. 1999 Jun;55(6):2338-48.
PMID: 10354281 [PubMed - indexed for MEDLINE]

2: Lund PK.
The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel.
Gut. 1998 Mar;42(3):320-2. Review.
PMID: 9577334 [PubMed - indexed for MEDLINE]

3: Kemp PR, Osbourn JK, Grainger DJ, Metcalfe JC.
Cloning and analysis of the promoter region of the rat SM22 alpha gene.
Biochem J. 1995 Sep 15;310 (Pt 3):1037-43.
PMID: 7575400 [PubMed - indexed for MEDLINE]

4: Nakano Y, Nishihara T, Sasayama S, Miwa T, Kamada S, Kakunaga T.
Transcriptional regulatory elements in the 5' upstream and first intron regions of the human smooth muscle (aortic type) alpha-actin-encoding gene.
Gene. 1991 Mar 15;99(2):285-9.
PMID: 2022339 [PubMed - indexed for MEDLINE]

5: Osbourn JK, Weissberg PL, Shanahan CM.
A regulatory element downstream of the rat SM22 alpha gene transcription start point enhances reporter gene expression in vascular smooth muscle cells.
Gene. 1995 Mar 10;154(2):249-53.
PMID: 7890172 [PubMed - indexed for MEDLINE]

6: Solway J, Seltzer J, Samaha FF, Kim S, Alger LE, Niu Q, Morrisey EE, Ip HS, Parmacek MS.
Structure and expression of a smooth muscle cell-specific gene, SM22 alpha.
J Biol Chem. 1995 Jun 2;270(22):13460-9.
PMID: 7768949 [PubMed - indexed for MEDLINE]

7: Carroll SL, Bergsma DJ, Schwartz RJ.
A 29-nucleotide DNA segment containing an evolutionarily conserved motif is required in cis for cell-type-restricted repression of the chicken alpha-smooth muscle actin gene core promoter.
Mol Cell Biol. 1988 Jan;8(1):241-50.
PMID: 3336359 [PubMed - indexed for MEDLINE]

8: Ueyama H, Hamada H, Battula N, Kakunaga T.
Structure of a human smooth muscle actin gene (aortic type) with a unique intron site.
Mol Cell Biol. 1984 Jun;4(6):1073-8.
PMID: 6330528 [PubMed - indexed for MEDLINE]

Thank you

Daniel M. Sullivan
Examiner AU 1636
Room: 12D12
Mail Box: 11E12
Tel: 703-305-4448

STIC-ILL

Mic
QB501.847

From: Sullivan, Daniel
Sent: Monday, September 22, 2003 11:15 AM
To: STIC-ILL
Subject: Request for 09807757

Please send the following:

1: Kawada N, Moriyama T, Ando A, Koyama T, Hori M, Miwa T, Imai E.
Role of intron 1 in smooth muscle alpha-actin transcriptional regulation in activated mesangial cells in vivo.
Kidney Int. 1999 Jun;55(6):2338-48.
PMID: 10354281 [PubMed - indexed for MEDLINE]

2: Lund PK.
The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel.
Gut. 1998 Mar;42(3):320-2. Review.
PMID: 9577334 [PubMed - indexed for MEDLINE]

3: Kemp PR, Osbourn JK, Grainger DJ, Metcalfe JC.
Cloning and analysis of the promoter region of the rat SM22 alpha gene.
Biochem J. 1995 Sep 15;310 (Pt 3):1037-43.
PMID: 7575400 [PubMed - indexed for MEDLINE]

4: Nakano Y, Nishihara T, Sasayama S, Miwa T, Kamada S, Kakunaga T.
Transcriptional regulatory elements in the 5' upstream and first intron regions of the human smooth muscle (aortic type) alpha-actin-encoding gene.
Gene. 1991 Mar 15;99(2):285-9.
PMID: 2022339 [PubMed - indexed for MEDLINE]

5: Osbourn JK, Weissberg PL, Shanahan CM.
A regulatory element downstream of the rat SM22 alpha gene transcription start point enhances reporter gene expression in vascular smooth muscle cells.
Gene. 1995 Mar 10;154(2):249-53.
PMID: 7890172 [PubMed - indexed for MEDLINE]

6: Solway J, Seltzer J, Samaha FF, Kim S, Alger LE, Niu Q, Morrisey EE, Ip HS, Parmacek MS.
Structure and expression of a smooth muscle cell-specific gene, SM22 alpha.
J Biol Chem. 1995 Jun 2;270(22):13460-9.
PMID: 7768949 [PubMed - indexed for MEDLINE]

7: Carroll SL, Bergsma DJ, Schwartz RJ.
A 29-nucleotide DNA segment containing an evolutionarily conserved motif is required in cis for cell-type-restricted repression of the chicken alpha-smooth muscle actin gene core promoter.
Mol Cell Biol. 1988 Jan;8(1):241-50.
PMID: 3336359 [PubMed - indexed for MEDLINE]

8: Ueyama H, Hamada H, Battula N, Kakunaga T.
Structure of a human smooth muscle actin gene (aortic type) with a unique intron site.
Mol Cell Biol. 1984 Jun;4(6):1073-8.
PMID: 6330528 [PubMed - indexed for MEDLINE]

Thank you

Daniel M. Sullivan
Examiner AU 1636
Room: 12D12
Mail Box: 11E12
Tel: 703-305-4448

STIC-ILL

From: Sullivan, Daniel
Sent: Monday, September 22, 2003 11:15 AM
To: STIC-ILL
Subject: Request for 09807757

Please send the following:

1: Kawada N, Moriyama T, Ando A, Koyama T, Hori M, Miwa T, Imai E.
Role of intron 1 in smooth muscle alpha-actin transcriptional regulation in activated mesangial cells in vivo.
Kidney Int. 1999 Jun;55(6):2338-48.
PMID: 10354281 [PubMed - indexed for MEDLINE]

2: Lund PK.
The alpha-smooth muscle actin promoter: a useful tool to analyse autocrine and paracrine roles of mesenchymal cells in normal and diseased bowel.
Gut. 1998 Mar;42(3):320-2. Review.
PMID: 9577334 [PubMed - indexed for MEDLINE]

3: Kemp PR, Osbourn JK, Grainger DJ, Metcalfe JC.
Cloning and analysis of the promoter region of the rat SM22 alpha gene.
Biochem J. 1995 Sep 15;310 (Pt 3):1037-43.
PMID: 7575400 [PubMed - indexed for MEDLINE]

4: Nakano Y, Nishihara T, Sasayama S, Miwa T, Kamada S, Kakunaga T.
Transcriptional regulatory elements in the 5' upstream and first intron regions of the human smooth muscle (aortic type) alpha-actin-encoding gene.
Gene. 1991 Mar 15;99(2):285-9.
PMID: 2022339 [PubMed - indexed for MEDLINE]

5: Osbourn JK, Weissberg PL, Shanahan CM.
A regulatory element downstream of the rat SM22 alpha gene transcription start point enhances reporter gene expression in vascular smooth muscle cells.
Gene. 1995 Mar 10;154(2):249-53.
PMID: 7890172 [PubMed - indexed for MEDLINE]

6: Solway J, Seltzer J, Samaha FF, Kim S, Alger LE, Niu Q, Morrisey EE, Ip HS, Parmacek MS.
Structure and expression of a smooth muscle cell-specific gene, SM22 alpha.
J Biol Chem. 1995 Jun 2;270(22):13460-9.
PMID: 7768949 [PubMed - indexed for MEDLINE]

7: Carroll SL, Bergsma DJ, Schwartz RJ.
A 29-nucleotide DNA segment containing an evolutionarily conserved motif is required in cis for cell-type-restricted repression of the chicken alpha-smooth muscle actin gene core promoter.
Mol Cell Biol. 1988 Jan;8(1):241-50.
PMID: 3336359 [PubMed - indexed for MEDLINE]

8: Ueyama H, Hamada H, Battula N, Kakunaga T.
Structure of a human smooth muscle actin gene (aortic type) with a unique intron site.
Mol Cell Biol. 1984 Jun;4(6):1073-8.
PMID: 6330528 [PubMed - indexed for MEDLINE]

Thank you

Daniel M. Sullivan
Examiner AU 1636
Room: 12D12
Mail Box: 11E12
Tel: 703-305-4448